



Safety Data Sheet

Section 1 – Identification

Product Name: 0.4% Stannous Fluoride Gel

Product Code: V80010006, V8001005

Manufacturer: Crosstex International 10 Ranick Rd., Hauppauge, NY 11788

Emergency Phone Numbers:

Phone: 631-582-6777

24-Hour Number: 1-800-535-5053 International: +1-352-323-3500

INFOTRAC:

Chemical Name: Stannous Fluoride – Tin (II) Fluoride **Family:** Fluoride Treatment

Product Use: Professional Veterinary Dental Preventative Care

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Will cause eye irritation.
- May cause skin irritation.
- Prolong exposure may cause respiratory system irritation.
- Ingestion of large amounts may cause nausea, vomiting, headaches, or dizziness.
- Please read entire MSDS for additional information.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry	Inhalation, skin, and ingestion.
Eye	Vapors are irritating to the eyes. Splashes may cause redness of the eye.
Skin	Repeated/prolonged contact may cause mild irritation of the skin. Symptoms include redness, burning, or itching.
Ingestion	Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. Symptoms include irritation of the throat, nausea, dizziness, and upset stomach.
Inhalation	If fine small particles are inhaled, irritation of the throat with a feeling of tightness in the chest may occur.
NOTE: Defen to Section 11	Toxical action Information for Datails

NOTE: Refer to Section 11, Toxicological Information for Details Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA	Limits ACGIH	Carcinogen	%
·				TWA/STEL	TWA/STEL	IARC/NTP/OSHA	
Glycerol	56-81-5	200-289-5	Glycerin	(as respirable, mist) TWA = 5 mg/ m^3	(as mist) TWA = 5 mg/ m^3	Not listed	66 – 77%
Stannous	7783-47-3	231-999-3	Stannous	$TWA = 2.5 \text{ mg/ m}^3$	TWA = 2.5 mg/	Not Listed	0-2%
Fluoride			Fluoride		m^3		
N/E – None Established N/R – Not Reviewed	N/DA – No Data N/A – Not Applic						
tems in parent	thesis relate to	1999/45/EC)				
	Danger Symbol	()/	· · ·	Hazard Statement – H302 (R (S26)	822), H313 (N/A), H315 ((R38), H318 (R41)	
wearal. Danger S	Symbol – GHS07 (2	Xi)	Hazard Statemen	t – H315 (R38), H319 (R36)	Precautionary State	ment – P404 (S7), P403	3+ 235 (\$3/9

See Section 16 for Hazard and Precautionary Statement Key.

Section 4 – First Aid Measures

First Aid for Eye	Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.
First Aid for Skin	Wash thoroughly with soap and water. Remove contaminated clothing. Get medical help if discomfort persists.
First Aid for Ingestion	If greater than normal dose is swallowed, do not induce vomiting. Drink large quantity of water or milk. Seek medical attention.

First Aid for Inhalation

Move to fresh air. If having breathing difficulty, give oxygen. Seek medical attention if discomfort persists.

Flash Po	int (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
1	I∕A	N/A	N/A
Method: Extinguishing Me Fire Fighting Instructions:	During a fire for exposure apparatus, w location.	e, wear complete personal protective equitive full face operated in pressure dema	hould be used. enerated by thermal decomposition. If potential upment including self contained breathing nd. Fight fire from a safe distance/protected
Unusual Hazards:	Evacuate all	personnel.	
Section 6 – Acc	idental Release N	leasures	
Spill or Release Procedures	Major spills – Clear a	llect contaminated water and dispose of proper	d contact with skin and eyes, and mop / squeegee are
Section 7 – Har	dling and Storag	e	
Handling	Limit all unnecessar	ry personal contact. Avoid breathing dust	/ vapors. Wear appropriate PPE.
Storage		vell ventilated area away from heat, sp n original container provided by manufact	arks and flame. Keep containers closed when urer.
Explosion Hazard	None.		
Section 8 – Exp	osure Controls /	Personal Protection	
Engineering Controls	General exhaust is a	adequate under normal operating condition	15.
Personal Protectiv General	To identify additio hazard assessment		E) requirements, it is recommended that a andard (29CFR1910.132), or European Standard
Eye/ Face Protection		gles or splash shields are required when ha	andling. Ensure eye bath is on hand.
			small quantities), but is recommended to use act, such as gloves, apron, boots, or whole body
Respiratory	In case of insufficie	nt ventilation, wear suitable respiratory eq	uipment.

Protection

Section 9 – Physical and Chemical Properties

			lor Threshold PH Specific Gra		v	Viscosity	% Volatile			
Colored	Gel	Odor of S	Stated Flavor	I	N/A	(H20	D = 1): N/A	N/A	N	I/A
Boiling Point/ Freezing Point	Decomposition Temperature		Octanol/Water titioning Coefficie Log Po/w	ent	Vap Press		Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/DA		N/DA		N/2	4	N/A	N/A	N/A	N/A
Flash	Point (°F/°C)		Flamma	ble	Limit (vol%)		Auto-ignition T	emperature	e (vol%)
N/A				N	I/A]	N/A	

Section 10 – Stability and Reactivity

Stability: Stable Hazardous Decomposition Products: Toxic Fumes (HF) Incompatibility (Materials to Avoid): Strong Acids Hazardous Polymerization: Will not occur

Conditions to Avoid: Heat and incompatible materials

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxic	ty Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye	
N/DA	N/DA	N/DA	N/DA	N/ DA	
Sensitization		Mutagenicity	Sub-ch	ronic Toxicity	
N/ DA	X	N/DA		N/ DA	

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information	
Biodegradability	N/DA. This material is not expected to significantly bioaccumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-regulated material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	Non-regulated material
Proper Shipping Name:	N/A
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	N/A
Emergency Response Guidance (ICAO)#:	
IMO (IMDG):	
Proper Shipping Name:	Non-regulated material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	N/A
Other Information:	N/A

US Federal Regulations

Clean Air Act: HAP/ODS

This product contains the following HAP's or ODS: • NONE

Clean Water Act: Priority	This product contains the following chemicals listed under the U.S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	• Stannous Fluoride – CAS #7783-47-3 (Toxic, Irritant)
RCRA	This product contains the following chemicals considered to be hazardous waste under RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product contains chemicals regulated under Section 304 as extremely hazardous
(TPQ)	chemicals for emergency release notification ("CERCLA" List):
	• None
SARA Title III: Section 311-312:	This product is considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370). It's hazards are:
	• Stannous Fluoride – CAS #7783-47-3 (Toxic, Irritant)
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting
	requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization
	Act of 1986 and 40 CFR Part 372:
	• None
TSCA Section 8(b): Inventory:	This product does contain chemicals listed on the TSCA inventory or otherwise complies
	with TSCA pre-manufacture notification requirements.
	• Stannous Fluoride – CAS# 7783-47-3
	• Glycerol – CAS # 56-81-5
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

CA Right-to-Know Law:	None
California No Significant Risk Rule:	None
MA Right-to-Know Law:	Glycerol – CAS # 56-81-5
NJ Right-to-Know Law:	Stannous Fluoride – CAS #7783-47-3 Glycerol – CAS # 56-81-5
PA Right-to-Know Law:	Stannous Fluoride – CAS #7783-47-3 Glycerol – CAS # 56-81-5
FL Right-to-Know Law:	N/A
MN Right-to-Know Law:	Glycerol – CAS # 56-81-5

International Regulations

CDSL: Canadian Inventory	Stannous Fluoride – CAS #7783-47-3
(on Canadian Transitional List)	Glycerol – CAS # 56-81-5

Labeling according to EC directives – 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For KV 0.4% Stannous Fluoride Gel (finished product):
	 DANGER SYMBOLS: GHS07 (Xi) – Warning / Irritant HAZARD STATEMENT: H316 (N/A), Causes mild skin irritation. H319 (R36), Causes serious eye irritation H335 (R37), May cause respiratory irritation. H303 (N/A), May be harmful if swallowed. PRECAUTIONARY STATEMENT: P102 (S2), Keep out of reach of children. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention.

Section 16 – Other Information

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

(items in parenthesis relate to 1999/45/EC)

Danger Symbols:

GHS06 (T) - Toxic. GHS07 (Xi) - Warning / Irritants. GHS05 (C) - Corrosive. GHS07 (Xn) - Harmful

Hazard Statement: H301 (R25), Toxic if swallowed. H302 (R22), Harmful if swallowed. H313 (N/A), Maybe harmful in contact with skin. H315 (R38), Causes skin irritation. H316 (N/A) Causes mild skin irritation. H319 (R36), Causes serious eye irritation. H335 (R37), May cause respiratory irritation. H336 (R67), May cause drowsiness or dizziness. EUH032 (R32), Contact with acid liberates very toxic gas. H303 (N/A), May be harmful if swallowed. H318 (R41), Causes serious eye damage.


Precautionary Statement:

MSDS Prepared by:

WME

P102 (S2), Keep out of reach of children. P260 (S23), Do not breathe dust/fume/gas/mist/vapors/spray. P261 (S24), Avoid breathing dust/fume/gas mist/vapor sprays. P280 (S36/37/39), Wear protective gloves/clothing/eye protection/face protection. P309+314 (S45), If exposed or you feel unwell, get medical advice/attention. P404 (S7), Store in a closed container. P403+235 (S3/9), Store in a well ventilated place. Keep cool. P305+351+338 (S26), If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

Hazard Rating System (Pictograms)



The information contained in this document is correct to the best of our knowledge and is based on current information at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Crosstex makes no guarantees or warranty to the validity, accuracy, or currency and shall not be liable or responsible in any way for use of either this information or the materials described.